

CG680PRO Product Description

All-System & All-make Scanner with Special Functions

The CG680 Pro is built to take your diagnostic experience to a whole new level. Loaded with 20+ frequently performed services oil service light reset, ABS bleeding, EPB, BRT, SAS, etc. CG680 Pro can access ALL available modules for the best diagnosis operations. With all in one CG680Pro provides workshops, technicians and enthusiasts alike affordable diagnostic solutions, there is no better multifunctional scan tool on the market.

Features and Benefits:

1. Provides easy diagnosis on more than 80 US, Asian and European vehicle makes, including Cars, SUVs, mini-vans, light-duty trucks.
2. Works on both OBDI and OBDII vehicles including the latest 2020/2021 models
3. With the latest Auto VIN technology, it can automatically identify the vehicle's make, model, and year information quickly and easily with one-key VIN reading
4. Reads and clear codes and turns off MILs of all electronic control unit (ECUs), DTC definition help technician quickly locate the vehicle problem.
5. Shows live data of vehicle ECU, sensors, modules in text and graph formats. Support merges interactive live sensor graphs for easy and intuitive diagnosis.
6. Records and playbacks your data-logs, including live sensor data and freeze data to catch intermittent failures
7. Complete capabilities for codes, live data, adaptation, matching, reset etc. supports 20+ frequently performed services like EPB, SAS, BRT, etc.
8. 4.3" color display with clearly arranged keypad, menu-driven operation, shortcuts, simple and easy to perform for all level users.
9. Multilingual menu options and codes for an international marketplace - English, French, Spanish and much more
10. Life time free update lets you always have the latest bug fixes, new vehicles coverage, newly added parameters and functionalities at your fingertips

Diagnostic Functions

Asian vehicles:

For Acura, Dawoo, Honda, Hyundai, Isuzu, Infiniti, KIA, Lexus, Mazda, Mitsubishi, Nissan, Perodua, Proton, SsangYong, Scion, Subaru, Suzuki, Toyota.

European vehicles:

For Audi, Abarth, Alfa-Romeo, Aston Martin, BMW, Bentley, Bugatti, Citroen, Dacia, EU Ford, Ferrari, Fiat, Jaguar, Lamborghini, LANCIA, Land Rover, Mercedes-Benz, MINI, Maserati, Maybach, Opel, Peugeot, Porsche, Renault, SAAB, Smart, Seat, Skoda, Sprinter, VW, VW_cv, Vauxhall, Volvo.

America vehicles:

For Chrysler, Jeep, Dodge, Ram, Ford, Lincoln, Mercury, GM (including Brazilian car maker), Chevrolet, Cadillac, Buick

ABS/SRS:

For AU Ford , Acura, Dawoo, Honda, Holden, Hyundai, Isuzu, Infiniti, KIA, Lexus, Mazda , Mitsubishi, Nissan, Perodua, Proton, SsangYong, Scion, Subaru, Suzuki, Toyota, Audi, Abarth, Alfa, Aston Martin, BMW, Bentley, Bugatti, Citroen, Dacia, Eu Ford, Ferrari, Fiat, Jaguar, Lamborghini, LANCIA, Landrover, Mercedes-Benz, MINI, Maserati, Maybach, Opel, Peugeot, Porsche, Renault, SAAB, Smart, Seat, Skoda, Sprinter, VW, VW_cv, Vauxhall, Volvo, Chrysler, Ford, GM

Oil Service Light Reset:

For Chrysler, Ford, Fiat, GM, Acura, Honda, Hyundai, Infiniti, Isuzu, KIA, Lexus, Mazda, Mitsubishi, Nissan, Scion, Suzuki, Toyota, Abarth, Alfa Romeo, Audi, Bugatti, BMW, Bentley, Citroen, Fiat, Jaguar, LANCIA, Landrover, Mercedes-Benz, MINI, Opel, Peugeot, Porsche, Renault, Rolls-Royce, AAB, Seat, Skoda, Smart, Sprinter, Vauxhall, Volkswagen, Volvo, Aston Martin, Dacia, Ferrari, Holden, Maserati, Subaru

EPB:

For Acura, Audi, Bentley, Citroen, EU Ford, Ford, GM, Honda, Hyundai, Jaguar, KIA, Landrover, Lexus, Maybach, Mercedes-Benz, MINI, Opel, Peugeot, Porsche, Roewe ,for Renault, SAAB, Scion, Skoda, Toyota, Vauxhall, Volkswagen, Volvo, Abarth, Alfa Romeo, Chrysler, Daewoo, Fiat, Ferrari, Luxgen, Maserati, Rolls-Roye, Subaru, Seat

BRT:

For Audi, BMW, Citroen, Peugeot, Seat, Skoda, Volvo, VW, Ford, Infiniti, jaguar, Landrover, Lexus, Mini, Mitsubishi, Nissan, Holden, Hyundai, Mazda, Opel, Porsche, Renault, Toyota.

TBA/TPS:

For Acura, Audi, BYD, BMW, Brilliance, Chery, Citroen, Daewoo, Ford, Geely, GM, Grea-Wall, Honda, Hyundai, Infiniti, JAC, KIA, Landrover, Lexus, Lincoln, Mitsubishi, Nissan, Opel, Peugeot, Porsche, SAAB, Seat, Skoda, Toyota, VW

SAS:

For YQ toyota, DF Nissan, YQ Mazda, Changan Ford, SH VW, YQ VW, HC BMW, DF Yueda, Great wall, Haima, Fawcar, Geely, Xinxianag, DFPV, DFFX, JAC, BJXD, BYD, Acura, Daihatsu, Daewoo, Honda, Hyundai, Infiniti, KIA, Lexus, Mazda, Mitsubishi, Nissan, Subaru, Toyota, Audi, BMW, Citroen, Dacia, Ferrari, Jaguar, Landrover, LANCIA, Maserati, Maybach, Mercedes-Benz, Mini, Opel, Peugeot, Porsche, Renault, Romeo, Scion, Seat, Skoda, Vauxhall, Volvo, VW, Chrysler, Ford, GM

DPF:

For Audi, BMW, Chrysler, Citroen, Daewoo, Fiat, GM, Holden, Honda, Hyundai, Infiniti, Jaguar, KIA, LandRover, LANCIA, Lexus, Maserati, Mazda, Mercedes-Benz, Mini, Mitsubishi, Nissan, Opel, Peugeot, Porsche, Scion, Seat, Skoda, Subaru, Toyota, Vauxhall, Volvo, VW

TPMS:

For Acura, Audi, Benz, BMW, Chrysler, Citroen, Ferrari, Fiat, Ford, Holden, Hyundai, Infiniti, Jaguar, KIA, LANCIA, landrover, Lexus , Maserati, Mazda, MINI, Mitsubishi, Nissan, Peugeot, Porsche, Renault, Scion, Seat, Skoda, Subaru, Toyota, Volvo, VW

Injector Coding:

For Acura,for Audi, BMW, Chrysler, Citroen, Fiat, Ford, GM, Honda, Hyundai, Infiniti, Jaguar, KIA, LANCIA, LandRover, Mercedes-Benz, MINI, Mitsubishi, Nissan, Opel, Peugeot, Porsche, Renault, Romeo, Scion, Seat, Skoda, Smart, Sprinter, Subaru, Toyota, Volvo, VW

ABS Bleeding:

For Lexus, Scion, BMW, Mercedes-Benz, Smart, Fiat, Lancia

Prime Fuel Pump:

For Audi, Bentley, Bugatti, Lamborghini, Seat, Skoda, VW

Odometer:

For Infiniti, Nissan, Opel, Vauxhall

CVT:

For Mitsubishi, Nissan, Toyota

GEAR Learning:

For Delphi-EOBD, GM

A/F Adjust:

For Ford, for VW

Seat Match:

For Landrover, Jaguar

Clutch adaptation

For Landrover, Jaguar

Language Change:

For Peugeot

Windows & door

For Landrover, Jaguar

Turbo:

For Landrover, Jaguar

Headlamp:

For Landrover, Jaguar

Specification:

Display	4.3" TFT color display
Working Temperature	0 to 60 °C (32 to 140°F)
Storage Temperature	-20 to 70°C(-4 to 158°F)
Power Supply	8-18V vehicle power
Supported Protocols	J1859-41.6, J1850-10.4, ISO9141, KWP2000 (ISO 14230), and CAN (Control Area Network ISO11898)
Package Dimension	330*220*80 MM
Product Dimension	200*130*40 MM
Weight	1.8KG

Package Included:

CG680Pro Main Unit

Diagnostic Cable

Blow Molding Case

Warranty Card

User Manual

USB Cable