Smart Camera Instruction

Download Yi IoT app

Scan QR code below



Search and download

Yi loT app In Google play



In App store

Subscribe

O Cameras




How to add camera

Alerts

.....

Alerts


Cloud



Settings

8

Profile








Step 2/3 Connect to wifi and click Next



Step 3/3 Pairing successful	How to connect with network cable	Step4/5	Step 5/5 Pairing successful
8:16 % 🖾 Q · 🔍 🖉 🤹 🖉 🖉	Step1/5 Click 'Network cable connect'	1443111388/150	(로) 중 hu hu 등 등 기 (2014)
		Binding device	
	1608 TEXARRAY 回		
Pairing successful		2000 100 2000 100 Waiting for pairing	Congratulations
			Success
Camera name		1010000100100010001000 "MO15001000"	Camera name Smart Camera
Smart Camera	Hotspot Direct Watch	Pairing process takes about 1–2. minutes Please wait	Living room Bedroom Kitchen Garden Crip Office
Living room Front door Bedroom Kitchen Garden Patio	Hotspot config to wifi Click Network		
Office Hall Storage	Network cable connect Cable connect		
	Check if your camera supports hotsoots		
	monapora		
Share cameras with your family			FINISH
Save	< O =	< 0 =	< □ ≡
		How to use app	
Step2/5 Note description and click Next	Step3/5 Select device and Next	2:28 4 🗤 👘 🗈	2:29 -4 Live stream and play
① (学 ha, ha,)	14:03 111 (K8/s 🖯 🖌 🔂	Camera	C Live Smart Camera
Binding device	Searching for the device	Camera Setting	
		White Light	
			Alert Cip
B	Searching devices nearby Please select one device. Select device and Next	Voice Local Hear sound Local intercom record of device screenshot	14:24
	DID: A1351004C3N0XV200826		(*) Motion Detected Smart Camera
			14:19 (*) Motion Detected
Please connect the router as shown in		•	Smart Camera
the figure and turn on the power Connect the other end of the natwork cable to the LAN port of the router		PTZ control	14:15 (*) Motion Detected
			Smart Camera
Connected as shown Notice and click Next		playback Alerts message	Motion Detected Smart Camera
Next	Next		14:07
< D =		Device Activity Alerts	Device Activity Astron
x u =	< D =		

Step 3/3 Pairing successful





Common problem

Q: The camera is offline .

- 1. Check if the power supply is working properly
- 2. Power off and restart the device to reconnect to the network
- 3.The signal coverage is weak
- 4. Signal interference shielding in special places

Q: How does the camera store video?

 The camera supports the F32 format with a maximum capacity of 128G.
 After the card is recognized, it automatically records, and when the storage is full, it automatically overwrites the original recording and loops recording;
 Support opening cloud storage service to store video.

Special statement

The product is subject to the actual product, the instruction manual is for reference only. Mobile phone app and device firmware version support update, users can upgrade through the app.

The manual may contain technical descriptions or inconsistencies with product functions or typographical errors. Our company reserves the right of final interpretation.

Do not install the product in a place where it is damp, dusty, high temperature, flammable or explosive .